

NAXPET® LARGE BREED - Oral Tablet

ANALGESIC, ANTIPYRETIC AND NON-STEROIDAL ANTI-INFLAMMATORY.



Analgesic, antipyretic and non-steroidal anti-inflammatory.

Technical Specification

SPECIES

Dogs over 30 Kg.

DOSAGE FORM

Oral tablet.

THERAPEUTIC ACTION

Analgesic, antipyretic and non-steroidal anti-inflammatory.

COMPOSITION

Each tablet contains:

Ketoprofen 30 mg

Excipients q.s.p 1 comp.

INDICATIONS

Analgesic, antipyretic and non-steroidal anti-inflammatory.

ROUTE OF ADMINISTRATION AND DOSAGE

Administration way: Oral.

- **Dosage:** 1 tablet. / 30 Kg of b.w. (1 mg of Ketoprofen / Kg b.w.) every 24 hours for 5 days. In case of postoperative pain and chronic pain, administer an initial dose of 2 tablets / 30 kg bw (2 mg of Ketoprofen / Kg of b.w.) and then 1 tablet / 30 Kg of b.w. (1 mg of Ketoprofen / Kg of b.w) every 24 hours.

CONTRAINDICATIONS

- Do not use in case of hypersensitivity to Ketoprofen
- Do not administer to pregnant or lactating females.
- Do not administer in dogs with gastric ulcers
- Do not use simultaneously with anticoagulants or diuretics.

SPECIAL PRECAUTIONS FOR USE

Simultaneous use with other NSAIDs or with corticosteroids can increase side effects, such as vomiting, diarrhea and transient anorexia in dogs.

SPECIAL PRECAUTIONS FOR THE OPERATOR

Do not handle by people who are hypersensitive to Ketoprofen.
In case of contact with skin, eyes or mucous membranes, wash immediately with plenty of water. In case of accidental ingestion, go immediately to a medical center and show the product box.

WARNINGS

Keep out of the reach of children.

ADVERSE EFFECTS

In certain cases it can cause vomiting, diarrhea and transient anorexia. Edema, nausea, gastrointestinal irritation and ulceration, nervousness, constipation, hives, skin rash, or fever can also be observed. These symptoms disappear quickly when treatment is stopped.

OBSERVATIONS

Special precautions for disposal of unused product or waste material:

Empty containers can be disposed of as household waste, without any special precautions. Do not dispose of containers with product remains on the ground or water courses. For expired or unused products, contact the manufacturing laboratory.

CONSERVATION

Store between 15 and 30 ° C, protected from light.

CONDITION OF SALE

Sale with veterinary prescription.

PRESENTATION

Box with 10 tablets.

PREPARED BY

Laboratorio Drag Pharma Chile Invetec S.A.

RECORDS

Chile: Reg. SAG N° 1385
Rep. Dominicana: Reg. N° 8864
El Salvador: Reg. N° VE2014034895
Perú: Reg. SENASA F.99.21.I.0107
Costa Rica: Reg. N° MV-6986

COUNTRIES WHERE IT IS MARKETED

Distribution in El Salvador:
Rafael Alfredo Alfaro Castillo.
8th C. Pte. Pje. Moreno N ° 112, Col. Flor Blanca.
San Salvador, El Salvador.

Imported and Distributed in Peru by:
Representaciones Durand SAC.
Av. Manuel Olguín No. 501 Office No. 604 Santiago de Surco Lima.

Imported and distributed in Bolivia by:

ZOOFARMA
TEL: +(591)222-3357
Street Díaz Romero 1339, La Paz.

You have entered drug info or veterinary products intended exclusively (s) kind (s) indicated (s).

Drag Pharma Lab is not responsible for the consequences of misuse of the products, and the use of this information without consulting a veterinarian