# **VIDATOL®** Injectable solution.

#### VITAMINS OF THE B COMPLEX WITH IRON, METHIONINE AND CHOLINE



Coadjuvant in the treatment of diseases that cause alterations of the nervous system, such as neuralgia, polyneuritis, neuritis and muscular dystrophy; circulatory skin disorders, such as macrocytic anemia, liver protector in convalescent animals or those with poor nutrition. It is also recommended as an appetite stimulant, in animals in training, growth, lactation or pregnancy.

# **Technical Specification**

#### **SPECIES**

Horses, cattle, pigs, sheep and goats.

#### **DOSAGE FORM**

Injectable solution.

# THERAPEUTIC ACTION

Vitamins of the B complex with Iron, Methionine and Choline

# **COMPOSITION**

Each 100 mL contains:	
Thiamine Hydrochloride 1.0 g	
Riboflavin 5 Sodium Phosphate 0.5 g	J
Nicotinamide 5.0 g	
Pyridoxine Hydrochloride 0.3 g	
Cyanocobalamin 1.5 mg	
D, L Methionine 1.0 g	
Choline Chloride 1.0 g	
Iron III Citrate hydrate 4.0 g	
Excipients q.s.p 100 mL	

# **INDICATIONS**

Coadjuvant in the treatment of diseases that cause alterations of the nervous system, such as neuralgia, polyneuritis, neuritis and muscular dystrophy; circulatory skin disorders, such as macrocytic anemia, liver protector in convalescent animals or those with poor nutrition. It is also recommended as an appetite stimulant, in animals in training, growth, lactation or pregnancy.

#### ROUTE OD ADMINISTRATION AND DOSAGE

The following dosages are recommended:

- Adult cattle adult horses: 5 to 10 m / day, intramuscularly.
- Sheep pigs goats: 1 to 2 mL / day, intramuscularly.
- Small cattle small horses: 1 to 2 mL / day intramuscularly.

Administer once a week for 1 month

In cases of horses in training or competition it is recommended to use once a week for 1 to 2 months.

In calves with neuritis symptoms or for toning it is recommended to administer once every 48 hours for four times.

#### **CONTRAINDICATIONS**

Do not use in animals with a history of parenteral hypersensitivity to Thiamine (Vitamin B1), due to the possible risk of anaphylactic shock.

#### **WARNINGS**

Keep out of the reach of children.

## **GUARD PERIOD**

Meat: 0 days.
Milk: 0 days.

## **OBSERVATIONS**

# Special precautions for disposal of unused product or waste material:

Discard the empty container or with product remains together with household waste. Do not reuse the container.

#### **CONSERVATION**

Keep at room temperature between 15 and 30  $^{\circ}$  C, protected from light. Once opened, use the product within 5 weeks. Discard the unused product after that period of time.

# **CONDITION OF SALE**

Sale with veterinary prescription.

# **PRESENTATION**

10 mL and 100 mL vial

## PREPARED BY

Laboratorio Drag Pharma Chile Invetec S.A.

#### **RECORDS**

Chile: Reg. SAG N° 1367

Rep. Dominicana: Reg. Nº 5604 El Salvador: VE2006053415 You have entered drug info or veterinary products intended exclusively (s) kind (s) indicated (s).

Drag Pharma Lab is not responsible for the consequences of misuse of the products, and the use of this information without consulting a veterinarian