

DF-7[®] DRENCH - Oral Suspension

INTERNAL ANTI-PARASITIC OF WIDE SPECTRUM.



Internal anti-parasitic of wide spectrum in single dose. Recommended for the treatment of parasitic nematodes gastrointestinal and migratory in adult and larval state. Also is effective against *Gasterophyllus spp.* and *Anoplocephala perfoliata* in horses.

Technical Specification

SPECIES

Horses.

DOSAGE FORM

Oral suspension.

THERAPEUTIC ACTION

Internal anti-parasitic of wide spectrum.

COMPOSITION

Each 100 mL of suspension contains:
Ivermectin.....0.200 g
Pyrantel Pamoate.....28.53 g
(Equivalent to 9.9 g of Pyrantel base)
Excipients: q.s.....100 mL

INDICATIONS

Internal anti-parasitic of wide spectrum in single dose. Recommended for the treatment of parasitic nematodes gastrointestinal and migratory in adult and larval state. Also is effective against *Gasterophyllus spp.* and *Anoplocephala perfoliata* in horses.

ROUTE OF ADMINISTRATION AND DOSAGE

Oral administration.

Active ingredients dose:

- Pyrantel: 9.9 mg/Kg of weight.
- Ivermectin: 0.2 mg/Kg of weight.

Product dose:

- 1 mL of suspension for every 10 Kg of weight.

CONTRAINDICATIONS

- Do not use in horses less than 4 weeks of age.
- Do not administer to horses with known hypersensitivity to any of the active ingredients.
- Do not use in pregnant or lactating females.

SPECIAL PRECAUTIONS FOR THE OPERATOR

Do not eat, drink or smoke while handling the product.

WARNINGS

Keep out of reach of children.

ADVERSE EFFECTS

Unwanted effects and adverse reactions:

The components of the df-7 drench, Oral Suspension, have a wide margin of safety. However, in case of high infestations, the treatment can generate transient colic and loose stools as a result of the parasitic destruction.

GUARD PERIOD

Do not administer to animals intended for human consumption.

OBSERVATIONS

SHAKE WELL BEFORE USE

Because it is a suspension, it should be shaken before and during administration, to maintain an optimal homogenization. Pleasant apple flavor.

Special precautions for disposal of unused product or waste material:

Empty containers can be disposed of as household waste, without any special precautions. Do not dispose of containers with product remains on the ground or water courses. For expired or unused products, contact the manufacturing laboratory.

CONSERVATION

Store in a cool and dry place, at room temperature between 15 and 30 ° C, protected from light. Once opened, use the product within 12 weeks. Discard the unused product after that period of time.

CONDITION OF SALE

To be supply only on veterinary prescription.

PRESENTATION

Bottle with 1 Liter.

PREPARED BY

Drag Pharma Laboratory.

RECORDS

- Chile: Reg. SAG No. 1521-B
- Dominican Republic: Reg. No. 5600

You have entered drug info or veterinary products intended exclusively (s) kind (s) indicated (s).

Drag Pharma Lab is not responsible for the consequences of misuse of the products, and the use of this information without consulting a veterinarian