

F-L-T[®] Shampoo

SHAMPOO.



Complementary treatment, indicated in dermatopathies where an antimicrobial, antipruritic, acaricidal and keratolytic effect is necessary; seborrhea, pyoderma, eczema, dermatitis, scabies, dermatomycosis and in periodic preventive hygiene.

Technical Specification

SPECIES

Dogs and cats.

DOSAGE FORM

Shampoo.

THERAPEUTIC ACTION

Shampoo.

COMPOSITION

Each 100 ml contains:

Benzoyl Peroxide.....2.5 g
Sulfur..... 2.0 g
Excipients q.s.p.....100 mL

INDICATIONS

Complementary treatment, indicated in dermatopathies where an antimicrobial, antipruritic, acaricidal and keratolytic effect is necessary; seborrhea, pyoderma, eczema, dermatitis, scabies, dermatomycosis and in periodic preventive hygiene.

MODE OF APPLICATION

- Bathe beforehand with a neutral shampoo.
- Apply F-L-T in sufficient quantity to achieve abundant lather.
- Rub 2-3 minutes.
- Let stand for 5 minutes and rinse thoroughly.

The frequency and duration of the treatment will depend on the treating Veterinarian.

CONTRAINDICATIONS

- Do not use in animals that present pictures of dry seborrhea or severe scaling.
- Do not administer to animals with hypersensitivity to the active principles.
- Do not use in pregnant or lactating females.

SPECIAL PRECAUTIONS FOR USE

Special warnings and precautions for use

- Keep out of the reach of children.
- For external use only.
- Avoid contact of the product with the animal's eyes and mouth.
- Avoid licking your hair after treatment.
- If any degree of irritation develops, discontinue treatment and consult a Veterinarian.

SPECIAL PRECAUTIONS FOR THE OPERATOR

- Avoid contact with the eyes, if this occurs, rinse with plenty of water.
- The product may cause fabric bleaching or jewelry staining.

ADVERSE EFFECTS

- Some adverse reactions observed after the administration of benzoyl peroxide are hyperemia and blistering.
- Animals with sensitive skin may develop excessive dryness or irritation.
- The product could stain the animal coat clear.

OBSERVATIONS

Special precautions for disposal of unused product or waste material.

Empty containers can be disposed of as household waste, without any special precautions. Do not dispose of containers with product remains on the ground or water courses. For expired or unused products, contact the manufacturing laboratory.

CONSERVATION

Store between 15 ° and 30 ° C, protected from light.

CONDITION OF SALE

To be supply only on veterinary prescription.

PRESENTATION

150 mL bottle.

PREPARED BY

Drag Pharma Laboratory.

RECORDS

Chile: Reg. SAG N° 940

Costa Rica: Reg. N° MAG CL4-45-9-5650

Bolivia: Reg. SENASAG PUV-F-N° 006140/14

COUNTRIES WHERE IT IS MARKETED

Imported and distributed in Bolivia by:

ZOOFARMA

TEL: +(591)222-3357

Street Díaz Romero 1339, La Paz.

You have entered drug info or veterinary products intended exclusively (s) kind (s) indicated (s).

Drag Pharma Lab is not responsible for the consequences of misuse of the products, and the use of this information without consulting a veterinarian