INVEADE® Injectable solution

A,D, E VITAMINS.



- Promotes weight gain.
- · Improves fertility.
- Improves the fur.
- Increases the defenses.
- Strengthening of the cow in the pre- and post-partum periods.
- Strengthening for Fall and Winter seasons.

Technical Specification

SPECIES

Bovine, sheep, goats and pigs.

DOSAGE FORM

Injectable solution.

THERAPEUTIC ACTION

A,D, E Vitamins.

COMPOSITION

Each 1 mL contains:
Vitamin A.......500,000 U.I.
Vitamin D3......75,000 U.I.
Vitamin E.....50 U.I.
Excipients q.s.p.....1 mL

INDICATIONS

- Promotes weight gain.
- Improves fertility.
- Improves the fur.
- Increases the defenses.
- Strengthening of the cow in the pre- and post-partum periods.
- Strengthening for Fall and Winter seasons.

ROUTE OD ADMINISTRATION AND DOSAGE

Bovine: intramuscular injection.

- Calves: 1 to1.5 mL/animal (Vitamin A 500,000-750,000 UI; Vitamin D3: 75,000-112.000 UI; Vitamin E: 50-75 UI).
- Cows, heifers and steers: 2-4 mL/animal (Vitamin A: 1,000,000-2,000,000 UI; Vitamin D3: 150,000-300,000 UI); Vitamin E: 100-200 UI).
- Oxen and bulls: 3.5-4 mL/animal (Vitamin A: 1,750,000-2,000,000 UI; Vitamin D3: 262,500-300,000 UI; Vitamin E: 175-200 UI).

Sheep and goats: Subcutaneous injection.

- Lamb and ewe lambs: 0.5-1 mL/animal (Vitamin A: 250,000-500,000 UI; Vitamin D3: 37,500-75,000 UI; Vitamin E: 25-50 UI).
- Sheep and rams (jackets): 0.5-1 mL/animal (Vitamin A: 250,000-500,000 UI; Vitamin D3: 37,500-75,000 UI; Vitamin E: 25-50 UI).
- **goatling:** 0.5-1 mL/animal (Vitamin A: 250,000-500,000 UI; Vitamin D3: 37,500-75,000 UI; Vitamin E: 25-50 UI).
- Goats and snitches (jackets): 0.5-1ml/animal (Vitamin A: 250,000-500,000 UI; Vitamin D3: 37,500-75,000 UI; Vitamin E: 25-50 UI).

Pigs: Intramuscular injection.

- Piglets: 0.5 mL (Vitamin A: 250,000 UI; Vitamin D3: 37,500 UI; Vitamin E: 25 UI).
- Mother sows and boars: 1-2 mL/animal (Vitamin A: 500,000-1,000,000 UI; Vitamin D3: 150,000-75,000 UI; Vitamin E: 50-100 UI).

The administration is in a single dose for all species.

SPECIAL PRECAUTIONS FOR THE OPERATOR

In case of contact with skin, eyes or mucous membranes, wash immediately with plenty of water. If there is irritation, go immediately to a medical center and show the product label. In case of accidental injection, go immediately to a medical center and show the product label.

WARNINGS

Keep out of reach of children.

ADVERSE EFFECTS

Like all parenteral preparations, in exceptional cases it can produce an anaphylactic reaction.

OBSERVATIONS

Special precautions for disposal of unused product or waste material:

Empty containers can be disposed of as household waste, without any special precautions. Do not dispose of containers with product remains on the ground or water courses. For expired or unused products, contact the manufacturing laboratory.

CONSERVATION

Store between 15 and 30 $^{\circ}$ C, protected from light. Use immediately once opened and discard the excess product.

CONDITION OF SALE

To be supply only on veterinary prescription.

PRESENTATION

10 mL, 50 mL and 100 mL vial

PREPARED BY

Drag Pharma Laboratory.

RECORDS

Reg. SAG No. 957

You have entered drug info or veterinary products intended exclusively (s) kind (s) indicated (s).

Drag Pharma Lab is not responsible for the consequences of misuse of the products, and the use of this information without consulting a veterinarian