

SINPULKILL® CATS - Collar

EXTERNAL ANTIPARASITIC.



Antiparasitic collar effective in the treatment and control of flea infestation (*Ctenocephalides felis*) in cats, guaranteeing flea control for 4 months.

Technical Specification

SPECIES

Cats.

DOSAGE FORM

Collar.

THERAPEUTIC ACTION

External Antiparasitic.

COMPOSITION

Each 100 g of collar contains:

Diazinon 15.0 g

Excipients q.s.p 100.0 g

INDICATIONS

Antiparasitic collar effective in the treatment and control of flea infestation (*Ctenocephalides felis*) in cats, guaranteeing flea control for 4 months.

USE INSTRUCTIONS

Attach the collar loosely to the cat's neck and cut off the remaining collar that protrudes from the buckle. It is recommended to leave a space of two fingers between the collar and the neck.

DRUG INTERACTIONS

- It is recommended not to use organophosphates together with other cholinesterase inhibitor compounds, especially antiparasitics that use such a mechanism of action.
- Do not use concomitantly with other antiparasitic products.

CONTRAINDICATIONS

- Do not use in sick or convalescent animals.
- Do not use in cats under 6 months of age.
- Do not use in Persian cats.
- Do not administer to animals hypersensitive to organophosphate compounds, such as Diazinon.
- Do not use during pregnancy, lactation or in breeding animals.

SPECIAL PRECAUTIONS FOR USE

- Prevent the animal from playing, licking or swallowing the collar.
- Remove the collar in case of irritation in the contact area, or if signs such as salivation, vomiting or diarrhea appear.
- For external use only.
- Keep out of the reach of children.

SPECIAL PRECAUTIONS FOR THE OPERATOR

- Do not handle by people who are hypersensitive to organophosphate compounds, such as Diazinon.
- Do not handle by pregnant or lactating women.
- Wear gloves when handling the collar, either when putting it on or taking it off.
- Do not smoke, eat or drink near the collar.
- In case of accidental ingestion, go immediately to a medical center and show the product label.
- Prevent the owner or children from sleeping with the animal while it is wearing the collar.
- Wash your hands after handling the collar.
- Prevent children from playing with the collar.

ADVERSE EFFECTS

In very small cases there may be irritation in the contact area.

OBSERVATIONS

It not contains metallic parts for preventing allergies.

Special precautions for disposal of unused product or waste material:

- Empty containers can be disposed of as household waste, without any special precautions.
- Do not dispose of containers with product remains on the ground or water courses.
- For expired or unused products, contact the manufacturing laboratory.

CONSERVATION

Store between 15 and 30 ° C, protected from light.

CONDITION OF SALE

OTC product (non-prescription).

PRESENTATION

Case with 1 collar.

PREPARED BY

Manufactured by: Société AB7 Industries S.A. Chemin des Monges Deyme, 314150 Montgiscard.

France.

Imported and distributed by:

Laboratorio Drag Pharma Chile Invetec S.A. Lautaro N ° 300, Quilicura. Santiago. Chile, under license from Société AB7 Industries S.A. France.

RECORDS

Reg. S.A.G. No.: 1647

You have entered drug info or veterinary products intended exclusively (s) kind (s) indicated (s).

Drag Pharma Lab is not responsible for the consequences of misuse of the products, and the use of this information without consulting a veterinarian