

DF-7[®] Oral Paste

INTERNAL ANTI-PARASITIC OF WIDE SPECTRUM.



Internal anti-parasitic of wide spectrum in single dose. Recommended for the treatment of parasitic nematodes gastrointestinal and migratory in adult or larval state. Also is effective against *Gasterophilus spp.* and *Anoplocephala perfoliata* in horses.

Technical Specification

SPECIES

Horses.

DOSAGE FORM

Oral paste.

THERAPEUTIC ACTION

Internal anti-parasitic of wide spectrum.

COMPOSITION

Each syringe with 40 g of paste contains:
Ivermectin.....0.12 g
Pyrantel pamoate.....17.11 g
(Equivalent to 5.94 g of Pyrantel)
Excipients q.s.p.....40.00 g

INDICATIONS

Internal anti-parasitic of wide spectrum in single dose. Recommended for the treatment of parasitic nematodes gastrointestinal and migratory in adult or larval state. Also is effective against *Gasterophilus spp.* and *Anoplocephala perfoliata* in horses.

ROUTE OF ADMINISTRATION AND DOSAGE

Dosage of active ingredients:

9.9 mg of Pyrantel and 0.2 mg of Ivermectin / Kg of body weight.

Product dosage:

Administer orally, one mark on the graduated syringe (10 grams) for every 150 kilos of body weight.

In case of high infestation, repeat the treatment according to veterinary medical advice. 40 grams of D.F. 7® pasta is enough to treat 600 kilos of weight.

DRUG INTERACTIONS

Do not use simultaneously with Morantel or Levamisole.

CONTRAINDICATIONS

- Do not use in horses under 4 weeks of age.
- Do not use during pregnancy or lactation, or in breeding animals.

SPECIAL PRECAUTIONS FOR USE

Warnings and precautions for use:

- Keep out of the reach of children.
- Do not eat, drink or smoke while handling the product.

ADVERSE EFFECTS

Unwanted effects and adverse reactions:

The components of D.F. 7® pasta have a wide margin of safety. However, in case of high infestations, the treatment can generate transient colic and loose stools as a result of the parasitic destruction.

GUARD PERIOD

Do not administer to animals intended for human consumption.

OBSERVATIONS

Special precautions for disposal of unused product or waste material:

Discard any unused product remains in its original container. Do not throw the empty container or with product remains, in rivers, lakes or streams of water. Dispose of the waste of this product with care together with household waste. Contact the manufacturing company or companies specialized in waste disposal, to receive recommendations on the disposal of expired or unused products.

CONSERVATION

Store at room temperature between 15 and 30 ° C.
Use immediately once opened and discard the excess product.

CONDITION OF SALE

To be supply only on veterinary prescription.

PRESENTATION

Box with one syringe containing 40 grams

PREPARED BY

Drag Pharma Laboratory.

RECORDS

-
- **Chile:** Reg. SAG N° 0487-B
 - **Rep. Dominicana:** Reg. N° 5601
 - **Perú:** Registro SENASA F.08.43.I.1069

COUNTRIES WHERE IT IS MARKETED

Imported and Distributed in Peru by Representaciones Durand SAC.
Av. Manuel Olguín N° 501 Oficina N° 604 Santiago de Surco Lima.

You have entered drug info or veterinary products intended exclusively (s) kind (s) indicated (s).

Drag Pharma Lab is not responsible for the consequences of misuse of the products, and the use of this information without consulting a veterinarian