# **ENDOFACIOL® BOVINE - Oral Suspension**

BROAD SPECTRUM INTERNAL ANTIPARASITIC ORAL FASCIOLICIDE



Indicated in the treatment and control of *Fasciola hepatic*a in its immature, juvenile and adult state; gastrointestinal and lung parasites, in their adult and larval stages in bovines. In ruminants it is active against inhibited larvae of *Ostertagia spp*.

# **Technical Specification**

**SPECIES** 

Bovine.

**DOSAGE FORM** 

Oral suspension.

THERAPEUTIC ACTION

Broad spectrum internal antiparasitic Oral fasciolicide

## **COMPOSITION**

# **INDICATIONS**

Indicated in the treatment and control of *Fasciola hepatic*a in its immature, juvenile and adult state; gastrointestinal and lung parasites, in their adult and larval stages in bovines. In ruminants it is active against inhibited larvae of *Ostertagia spp*.

## **ROUTE OD ADMINISTRATION AND DOSAGE**

Administer orally, using a syringe or dosing gun.

## **Active ingredients dose:**

• Ivermectin: 0.2 mg/Kg of weight.

• Triclabendazole: 12 mg/Kg of weight.

## **Product dose:**

10 mL for each 100 kg of weight.

## **DRUG INTERACTIONS**

Do not use concomitantly with other pharmaceuticals.

## **CONTRAINDICATIONS**

Do not administer to animals with known hypersensitivity to ivermectins.

## SPECIAL PRECAUTIONS FOR THE OPERATOR

Aviod contact of the product with the skin and eyes. In case of contact, wash inmediately with plenty of water. If irritation exists and persists, see a doctor. Wash your hands after handling the product.

#### WARNINGS

Keep out of reach of children.

## **GUARD PERIOD**

Meat: 49 days.

Do not administer to cows which milk is intended for human consumption.

## **OBSERVATIONS**

Shake before use.

# Special precautions for the disposal of unused product or waste material:

Dispose of this product with caution with household waste. Do not dispose of containers with product residues on the ground or water courses. For expired or unused products, contact the manufacturing laboratory.

## **CONSERVATION**

Store between 15  $^{\circ}$  and 30  $^{\circ}$  C, protected from light. Once the container is opened, use within 12 weeks. Discard the unused product after that period of time.

## **CONDITION OF SALE**

To be supply only on veterinary prescription.

## **PRESENTATION**

100 mL, 250 mL, 1 L and 2 L bottles.

## PREPARED BY

Drag Pharma Laboratory.

### **RECORDS**

**Chile**: Reg. SAG No. 1712-B **Rep. Dominicana:** Reg. Nº 7724

You have entered drug info or veterinary products intended exclusively (s) kind (s) indicated (s).

Drag Pharma Lab is not responsible for the consequences of misuse of the products, and the use of this information without consulting a veterinarian