


# EQUITON<sup>®</sup> Oral powder.

---

## INTERNAL AND EXTERNAL ANTI-PARASITE.



It is recommended as internal anti-parasite for the treatment of gastrointestinal parasites in horses, in particular *Gasterophilus sp.* ("horse bot larvae" in the stomach).

## Technical Specification

### SPECIES

---

Horses.

### DOSAGE FORM

---

Oral powder.

### THERAPEUTIC ACTION

---

Internal and external anti-parasite.

### COMPOSITION

---

Each 100 g of powder contains:  
Trichlorfon .....100 g

### INDICATIONS

---

It is recommended as internal anti-parasite for the treatment of gastrointestinal parasites in horses, in particular *Gasterophilus sp.* ("horse bot larvae" in the stomach).

### ROUTE OF ADMINISTRATION AND DOSAGE

---

**Administration way:** Oral.

**Dose:**

**Dose of the active principle:** 40 mg of Trichlorfon / Kg of weight.

**Product dose:** 1 sachet of 20 grams for every 500 Kg of body weight, in a single dose.

**How to use:**

Dissolve the content of an EQUITON<sup>®</sup> sachet in 200 mL of water (1 cup) and administer orally.

### DRUG INTERACTIONS

---

Trichlorfon should not be administered concomitantly with other organophosphates, with anesthetics and muscle relaxants.

#### CONTRAINDICATIONS

---

- Do not administer in pregnant females (over 7 months of gestation) or in lactation.
- Do not administer in breeding animals.
- Do not administer in foals under 4 months.
- Do not administer in weakened animals.
- Do not administer to animals treated with other organophosphate compounds, anesthetics, muscle relaxants, until a period of 2 weeks after treatment.
- Do not administer to animals hypersensitive to organophosphates.

#### SPECIAL PRECAUTIONS FOR THE OPERATOR

---

- Do not handle by pregnant or lactating women, or people who are hypersensitive to organophosphates.
- Avoid contact with food or fodder products.
- Potentially toxic product, if used negligently.
- Do not allow children to come into contact with treated animals.
- In humans, chronic exposure to organophosphates can cause damage to the nervous system and clinical signs such as headache, anxiety or irritability. It is recommended that the operators or handlers of this product use protective equipment (mask, gloves) to avoid inhalation or contact with the skin.

#### WARNINGS

---

Keep out of reach of children.

#### GUARD PERIOD

---

Do not administer to animals intended for human consumption.

#### OBSERVATIONS

---

##### **Special precautions for the disposal of unused product or waste material:**

Dispose of this product with caution with household waste. Do not dispose of containers with product residues on the ground or water courses. For expired or unused products, contact the manufacturing laboratory.

#### CONDITION OF SALE

---

To be supply only on veterinary prescription.

#### PRESENTATION

---

Box containing 25 packets of 20 g each.

#### PREPARED BY

---

Drag Pharma Laboratory.

#### RECORDS

---

Reg. SAG N° 945

You have entered drug info or veterinary products intended exclusively (s) kind (s) indicated (s).

Drag Pharma Lab is not responsible for the consequences of misuse of the products, and the use of this information without consulting a veterinarian