

EQUUS[®] Plus Cream

ANTI-INFLAMMATORY AND ANALGESIC.



It is recommended for the anti-inflammatory and analgesic treatment at the level of skin, subcutaneous tissue, muscle and joints in horses.

Technical Specification

SPECIES

Horses.

DOSAGE FORM

Cream.

THERAPEUTIC ACTION

Anti-inflammatory and analgesic.

COMPOSITION

Each 100 g of cream contains:

Phenylbutazone.....	5.0 g
Lidocaine.....	2.0 g
Dimethyl sulfoxide.....	10.0 g
Excipients q.s.p.....	100 g

INDICATIONS

It is recommended for the anti-inflammatory and analgesic treatment at the level of skin, subcutaneous tissue, muscle and joints in horses.

ROUTE OF ADMINISTRATION AND DOSAGE

Topical administration route.

Mode of use:

Clean the skin in the area to be applied, then apply a sufficient amount of product that allows to leave a thin layer on the affected area, apply two or three times a day massaging gently. Use for a maximum of 14 days or as indicated by the Veterinarian.

CONTRAINDICATIONS

- Do not administer to animals with heart, kidney or liver failure, dehydrated, or with hematological or bone marrow abnormalities or that are hypersensitive to the active.
- Do not administer to pregnant or lactating females.

SPECIAL PRECAUTIONS FOR USE

Special warnings and precautions for use:

- Keep out of the reach of children.
- Dimethyl sulfoxide can cause irritation, erythema, vesicles, dry skin, or a local allergic reaction, which are transient and resolve rapidly when therapy is discontinued.
- Both Phenylbutazone and Dimethylsulfoxide can mask an existing pathology, due to their anti-inflammatory and analgesic properties.
- Use with caution in dehydrated animals or in animals in shock, since the diuretic and vasodilator effect of dimethylsulfoxide can exacerbate these conditions.
- In competition horses, use with caution due to the content of Lidocaine in its formulation.

SPECIAL PRECAUTIONS FOR THE OPERATOR

- When applying the product use protective gloves.
- If there is contact with skin, wash immediately with plenty of soap and water. In case of contact with the eyes, it is recommended to wash immediately with plenty of water for 15 minutes and in accidental ingestion rinse the mouth with plenty of water. Do not induce vomiting unless directed by a doctor. It is recommended to go to a healthcare center promptly.

GUARD PERIOD

Do not use in animals intended for human consumption.

CONSERVATION

Store in a cool and dry place, at room temperature between 15° and 30°C and protected from sunlight.

CONDITION OF SALE

To be supply only on veterinary prescription.

PRESENTATION

Knob with 120 g

PREPARED BY

Drag Pharma Laboratory.

RECORDS

- Chile: Reg. SAG N° 0375
- Rep. Dominicana: Reg. N° 5599
- Panamá: Reg. N° RF-4130-18

You have entered drug info or veterinary products intended exclusively (s) kind (s) indicated (s).

Drag Pharma Lab is not responsible for the consequences of misuse of the products, and the use of this information without consulting a veterinarian