# **KET-10<sup>®</sup> EQUINE - Injectable solution**

#### NON-STEROIDAL ANTI-INFLAMMATORY



In horses, indicated for the relief of inflammation and pain associated with musculoskeletal osteoarticular alterations, such as lameness of traumatic origin, arthritis, osteoarthritis, tendonitis, bursitis, post-surgical inflammations, among others. It is also indicated in the symptomatic treatment of equine colic and in diseases of the respiratory system that involve inflammatory and painful conditions.

## **Technical Specification**

**SPECIES** 

Horses.

**DOSAGE FORM** 

Injectable solution.

THERAPEUTIC ACTION

Non-steroidal anti-inflammatory

**COMPOSITION** 

Each mL of injectable solution contains: Ketoprofen......100 mg Excipients q.s.p.....1 mL

## **INDICATIONS**

In horses, indicated for the relief of inflammation and pain associated with musculoskeletal osteoarticular alterations, such as lameness of traumatic origin, arthritis, osteoarthritis, tendonitis, bursitis, post-surgical inflammations, among others. It is also indicated in the symptomatic treatment of equine colic and in diseases of the respiratory system that involve inflammatory and painful conditions.

## ROUTE OD ADMINISTRATION AND DOSAGE

Intravenous administration.

**Dose of the active principle:** 2 - 3 mg / Kg of weight per day.

**Product dose:** 1 mL for every 45 kilos of weight per day.

#### **DRUG INTERACTIONS**

Simultaneous use with other non-steroidal anti-inflammatory drugs can increase side effects.

## **CONTRAINDICATIONS**

- Do not administer in pregnant females.
- Do not use in cases of severe kidney failure.
- Do not use simultaneously with diuretics or anticoagulants.
- Do not administer to foals under 2 weeks of age.
- Do not use in animals with heart or liver diseases, gastrointestinal ulcers or blood dyscrasias.
- Do not use in animals with known hypersensitivity to the active substance.

#### **WARNINGS**

Keep out of reach of children.

#### **GUARD PERIOD**

Do not use treated horse meat for human consumption.

#### **CONSERVATION**

Store at a temperature between 2 ° and 30 ° C, protected from light. Once opened, use the product within 3 months. Discard the excess product after that period of time.

## **CONDITION OF SALE**

To be supply only on veterinary prescription.

## **PRESENTATION**

50 mL vial

## PREPARED BY

Drag Pharma Laboratory.

## **RECORDS**

• Chile: Reg. SAG Nº 1472

Bolivia: Reg. SENASAG PUV-F N° 007258/16

• Perú: Reg. SENASA F.99.01.I.0069

## **COUNTRIES WHERE IT IS MARKETED**

Imported and distributed in Bolivia by: AGROGUARANI SRL TEL: + (591) 314-1401 Santa Cruz de la Sierra, Bolivia

Imported and Distributed in Peru by Representaciones Durand SAC. Av. Manuel Olguín No. 501 Office No. 604 Santiago de Surco Lima.

You have entered drug info or veterinary products intended exclusively (s) kind (s) indicated (s)

TOO HAVE CITETED DID OF VELETINALY PRODUCES INCCIDED EXCLUSIVELY (5) KING (5) INDICATED (5).

Drag Pharma Lab is not responsible for the consequences of misuse of the products, and the use of this information without consulting a veterinarian